

FIG. 2

VERSION 310	IHL 311	TYPE-OF-SERVICE 312	TOTAL LENGTH 313
IDENTIFICATION 320			FRAGMENT OFFSET 322
TIME-TO-LIVE 330		PROTOCOL 331	HEADER CHECKSUM 332
SOURCE ADDRESS 340			
DESTINATION ADDRESS 350			
OPTIONS + PADDING 360			
DATA 370			

FIG. 3




FIG. 4




FIG. 5A

VERSION 521		COUNT 522
SYSTEM UP TIME 523		
UNIX SECONDS 524		
UNIX NSECONDS 525		
FLOW SEQUENCE 526		
ENGINE TYPE 527	ENGINE ID 528	PAD 529

510

FIG. 5B

SOURCE IP ADDRESS 531		
DESTINATION IP ADDRESS 532		
NEXT HOP 533		
INPUT 534	OUTPUT 535	
NUMBER OF PACKETS 536		
NUMBER OF LAYER 3 BYTES 537		
FIRST 538		
LAST 539		
SOURCE PORT 540		DEST. PORT 541
PAD 542	TCP FLAGS 543	PROTOCOL 544
SOURCE AS 546		TOS 545
SOURCE MASK 548		DEST. AS 547
DEST. MASK 549		PAD 550

515

SAMPLING MODE 610	SAMPLING INTERVAL 615
----------------------	--------------------------

FIG. 6

FIG. 5C




FIG. 7